GLV103-07	Victron Energy	Multiplus-II / Multiplus-II + MPPT		•
C10/26 - DECLAR GLV ed2.1.2 (12/20		TY for power-generating units		Synergrid
	of annex D "Technical basi rid prescription C10/11 e	c requirements regarding the power-generation d2.1 (01/09/2019)		- 3
The undersigned,	Manufacturer:	Victron Energy	Represented by:	M. Vader
	Address:	De Paal 35	Country:	Netherlands
		1351JG Almere	email:	and the second second second
			Telephone:	

Hereby declares that each production unit completed in the list in tab 'list of power-generating units' of this homologation application complies with the following conditions:

1. The power-generating unit complies with the relevant requirements set out in annex D "Technical basic requirements regarding the power-generation units" of the Synergrid prescription C10/11 ed2.1 (01/09/2019).

2. In order to substantiate this, a separate technical file has been submitted at least for each separate product series of the 'C10/26 list of power-generating units' of this homologation application. Each technical file shall be drawn up on the basis of a checklist Annex D, duly and correctly completed by the manufacturer, accompanied by all the required proof of conformity.

2.1 For technical requirements for which the required proof of conformity (column J in checklist annex D) is a declaration of honour by the manufacturer, the manufacturer declares by signing and dating this declaration of conformity the correctness of the information (conform / not conform / not applicable) provided by him or her in columns K, L and M of this checklist.
 2.2. For technical requirements for which the required proof of conformity (column J in checklist Annex D) is a test report or a certificate, the necessary test reports and/privates are available * in the technical file:

- Certificates have been issued by an EN 45011 (or ISO 17065:2012) certification body accredited for these materials.

- Test reports have been established by an ISO 17025:2005 or ISO 17065:2012 laboratory accredited for these tests.

2.3 A list of the document references or the certificates of conformity referred to in the checklist Annex D is also available in the technical file.

Done at:	Groningen	Victron Energy D.V.	Homologated by Synergrid on: 11/04/2024
On:		05/02/2020 De Paal 35, 1351 JG Almere P.O. Box 50016, 1305 AA Almere	Stamp Synergrid & signature: SYNERGRID a.s.b.lv.z.w.
(stamp manufactu	urer & signature)	The Netherlands	BE 1000 Revente ingalerij 4/2
	Cierca Street Stre	Tel.: +31 36 555 9700 E-mail: sales@v tronenergy.com	MAUB W BE0402.998.091

* Transition period till 01/05/2020 (see exceptions in chapter 3.0.1/120/04cflc12101/09/2019)):

If at the time of submission of this homologation application it is not yet possible to submit all the necessary certificates and/or test reports (exception 3), or that the units do not yet have all the required characteristics (exceptions 1 and 2), a <u>temporary homologation</u> may be granted. All necessary certificates and/or test reports must be in the possession of Synergrid at the latest on 30/04/2020 in order to obtain a final homologation. if this is not the case, the temporary C10/26 homologation will be withdrawn.

POWER-GENERATING UNITS TO BE HOMOLOGATED FOR LIST C10/26 ACCORDING TO THE REQUIREMENTS OF ANNEX D OF THE TECHNICAL PRESCRIPTION C10/11 ed2.1 (01/09/2019)

 2. C10/26 list with power-generating units in accordance with annex D of C10/11 ed2.1 (01/09/2019)
 GLV103-07
 Victron Energy
 Multiplus-II / Multiplus-II + MPPT

HOM

LOGATION

-0

checklist ed 2.1.2 (12/2019)

1	2	3	4	5	6	7	8	9	10	1		11				12	12		2		2			13		14	15	
					ONLY for units (suitable for) energy storage:		POWER			ADDITIONAL CHARACTERISTICS					6 LIMITATIONS			1	APP	LICATION		Synergrid a	Synergrid approval date					
-					Name and refere	ance of the power I system			1	D.3		D.4.1	D.7.2	0	D.7.1	D.4.3												
SYNERGRID reference number (GLVxxx-yy-zzzz)	BRAND NAME	Name of the product SERIES	REFERENCE of the model / type of the unit	FIRMWARE VERSION	power control system type EnFluRi	other power control system	P _{ac.r} rated (active) power (W)	S _{max} maximum apparent power (VA)	1-phase or 3-phase	integrater natic separati	ady" =	inal homologation pires on 01/05/2020) Other Backup power system Energy storage P (combined heat & power Whind energy Salar energy Whomologated sa backur er system according to §2: only homologated for use in module a 800W contection for "smethod bornologated for "smethod pomerabing installations" generating installations" generating installations provided (e.g. Cipfulkt) provided (e.g. Cipfulkt) curve power reduction P(U) citive power reduction P(U) er response to underfreque (p31, pracing reduction (p31, pracing reduction (p31	Final homologation															
GLV103-07-0001	Victron Energy	Multiplus-II	Multiplus-II 48/8000/110-100 230V	>= 2621502	Current transformer for Multiplus-II		6.400	8.000	1-phase	x	φ	x x	×							×	x							
GLV103-07-0002	Victron Energy	Multiplus-II	Multiplus-II 48/10000/140-100 230V	>= 2627502	Current transformer for Multiplus-II		8.000	10.000	1-phase	×		x	×	×						×	x							
GLV103-07-0003	Victron Energy	Multiplus-II + DC Solar Charger SmartSolar MPPT	Multiplus-II 48/8000/110-100 230V + DC Solar Charger Smart Solar MPPT	>= 2621502	Current transformer for Multiplus-II		6.400	8.000	1-phase	x		x	x	×				×		x	x							
GLV103-07-0004	Victron Energy	Multiplus-II + DC Solar Charger SmartSolar MPPT	Multiplus-II 48/10000/140-100 230V + DC Solar Charger Smart Solar MPPT	>= 2627502	Current transformer for Multiplus-II		8.000	10.000	1-phase	×		x x	x	x				x		×	×s	YNERGI	RID a.s.	b.lv.z.w. 1931erij 4/2 5/Brusse) 1 02:95 8.09				
											-		+			-		-		1	Da	Terle Ray	renstein	galerij 4/2				
																					17	A TO THE	ruxelle	6/Brussel				
										-			-					+	\vdash	4	· ¥ -	m/13.1.15	BE 0	102.958.09				
																_	_											
										-							-	-	++	+	+							
													1-							-								

EXPLANATIONS FOR THE COMPLETION OF THE TABLE

Column	Title	Remarks
		In the case of a positive homologation, each C10/26-homologated power-generating unit is given a unique Synergrid reference number:
	SYNERGRID reference	xxx = unique reference or the manufacturer Victor OI Date best IG Automation
1	number	yy = serial number of manufacturer xxx's record xxx
	(GLVxxx-yy-zzzz)	zzzz = unique unit reference for the manufacturer xxx
		Note : "GLV" is the internal Syner grid-abbreviation for Declaration of Conformity, based on the Dutch word "Gelijkvormigheidsverklaring".
2	Brand name	Brand name under which the unit is marketed on the Belgian market,
3	Name of the product series	Remarks In the case of a positive homologation, each C10/26-homologated power-generating unit is given a unique Synergrid reference number: xx = unique reference or the manufacturer yr = serial number of manufacturer xxx's record xxx De Paal 35, Note : "GLV" is the internal Synergrid-abbreviation for Declaration of Conformity, based on the Dutch word "Gelijkvormigheidsverklaring". Brand name under which the unit is marketed on the Belgian market, Name of the product range. Note: For each separate product range. Note: For each separate product range. Unique product name or reference. Units of the same product range must be unequivocally distinguished from each other through this name or reference. Unique product name or reference. This case is only applicable for units (suitable for lenergy storage, provided with a power control system of <u>type EnFluR</u>): Name and reference of the power control system of type EnFluR]; Capplicable for internet (suitable for lenergy storage, provided with a power control system of <u>type EnFluR</u>): Name and reference of the power control system of type EnFluR.
4	Reference of the model / type of the unit	Unique product name or reference. Units of the same product range must be unequivocally distinguished from each other through this name or reference.
c	Firmware version	Reference of the firmware version of the unit.
2		

- 7

C10/26 - homologation - 2. list of power-generating units ed2.1.2 (12/2019) on the basis of C10/11 ed.2.1 (01/09/2019) - p 1/2

7	other power control system	This case is only applicable for units (suitable for) energy storage, provided with a power control system of another type than EnFluRi: Name and reference of the power control system, compliant to the requirements in C10/11 ed2.1 (01/09/2019) §7.11.2.2	
8	P _{ac,r} rated (active) power (W)	Active (electrical) power in W at the terminals of the unit, as stated on the technical sheet / data sheet / brochure and nameplate. (For photovoltaic inverters: see also definition in §3.2.5 of IEC 62894 2016-11)	
9	Smax - maximum apparent power (VA)	Maximum apparent (electrical) power at the terminals of the unit, as stated on the certificate / the test report / the technical sheet / data sheet / brochure.	
10	1-phase or 3-phase	Indicate whether the unit is single- or three-phase. This characteristic refers to the unit itself, not to the nature of the connection to the distribution network to which the unit can be connected.	
11	Additional characteristics	In these columns optional additional characteristics of the units are indicated, following the information in checklist annex D and the corresponding technical file. Put an "X" at each relevant additional characteristic. Note: Only units < 1 MW that are "type B ready" may be applied in an installation ≥ 1 MW (installation "type B" according to the European Network Code RfG). A unit < 1 MW is only "type B ready" if it complies with <u>all</u> optional properties ticked in column I of the checklist Annex D.	
12	Limitations	These columns specify limitations of the units to their application in certain types of installations, in accordance with the information in the checklist in annex D and the corresponding technical file. Put an "X" to each relevant limitation.	
13	Application	Indicate the applications for which the unit is suitable. Include an "X" with each application for which the unit can be used.	
14	Synergrid approval date Temporary homologation (expires on 01/05/2020)	Date on which the submitted homologation file was approved by Synergrid for a limited period of time. - A temporary homologation is granted if the applicant invokes exceptions in chapter 3 of C10/11 ed2.1 (01/09/2019) and has not yet submitted all the test reports required for a definitive homologation with here homologation application (exception 3), or if the units do not yet have all the required properties (exceptions 1 and 2). - The expiry date for a temporary homologation is 01/05/2020 - see conditions in chapter 3 of C10/11 ed.2.1 (01/09/2019).	NERGRID a.s.b.Iv.z.w. erie Ravensteingalerij 4/2
15	Synergrid approval date Final homologation	Date on which the submitted homologation file was definitely approved by Synergrid A final approval will be granted as soon as Synergrid has a fully compliant homologation dossier A final homologation only remains valid under the following conditions: - No changes that have an influence on the initial approval are made to (the production of) the units There is no new edition of prescription C10/11 The validity date of the test reports in the technical file submitted for approval has not been exceeded. See also the general Synergrid procedure S1/01 for homologation of material, which is applicable. (1)	arie Ravensteingalerij 4/2 -1000 Bruxelles/Brussel ./B./.W : BE 0402.958.091

(1) - S1/01 Technical specification: procedure for application for homologation and renewal of homologation of materials

Victron Energy B.V. De Paal 35, 1351 JG Almere P.O. Box 50016, 1303 AA Almere The Netherlands Ctol. + 31 36 535 9700 E-mail: sales@victronenergy.com www.victronenergy.com



C10/26 - homologation - 2. list of power-generating units ed2.1.2 (12/2019) on the basis of C10/11 ed.2.1 (01/09/2019) - p 2/2